
VERNON ROYAL LINE

SPECIES COLEONYX VARIEGATUS TAG. NO. 201

CONTAINER NO. B31 SEX ♀ AGE AD. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE 4-15-61 SPEEDOMETER 51058

LOCALITY 6 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 2045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ~~51.5~~

WIND DIRECTION 0 ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 26.2 °C

AIR TEMP(30 in) 25.6 °C AIR TEMP(1 cm) 25.3 ~~25.5~~ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 25.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

Left oviduct	Right oviduct
20.0 X 9.9 mm.	20.2 X 9.9 mm.

SPECIES COLEONYX VARIEGATUS TAG. NO. 202

CONTAINER NO. B31 SEX ♂ AGE AD TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE 4-15-61 SPEEDOMETER 51062

LOCALITY 2 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 2100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 24.5 °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP ~~24.5~~ °C CLOACAL TEMP 26.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT ~~CREOSOTE BUSH SCRUB~~ SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG. NO. [illegible]

CONTAINER NO. [illegible] SEX [illegible] AGE [illegible] TOE CLIP# [illegible]

WEIGHT(gms) _____ SHOUT-VENT LENGTH(cm) [illegible]

DATE [illegible] SPEEDOMETER [illegible]

LOCALITY [illegible]

COUNTY IMPERIAL CALIF.

STANDARD TIME [illegible] CLOUDS(% overcast) _____

ROOM _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION [illegible] ALTITUDE(ft.) [illegible]

WIND VELOCITY(mi/hr) [illegible] LOAD TEMP. _____ °C

AIR TEMP(30 in) [illegible] °C AIR TEMP(1 cm) [illegible] °C

SOIL SURFACE TEMP [illegible] °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE [illegible] FEET

REMARKS: [illegible]

SPECIES Coleonyx Variegatus TAG NO. 203

CONTAINER NO. B31 SEX ♂ AGE AD TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE 4-15-61 SPEEDOMETER 51067

LOCALITY 3 mi. E. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 24.5 °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 22.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub ~~SAND DUNE~~

CHASE 0 FEET

REMARKS: on pavement

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code16coleonyxva00mayh_0

SPECIES COLEONYX VARIEGATUS TAG NO. 204

CONTAINER NO. B 30 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE APR 15 1961 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES _____ TAG NO. [illegible]

CONTAINER NO. [illegible] SEX [illegible] AGE [illegible] TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) [illegible]

DATE APR 15 '96 SPEEDOMETER _____

LOCALITY [illegible]

COUNTY _____ CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) [illegible]

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: [illegible]

SPECIES COLEONYX VARIEGATUS TAG NO. 205

CONTAINER NO. B30 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE APR 15 1961 SPEEDOMETER _____

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 206

CONTAINER NO. B30 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE APR 15 1961 SPEEDOMETER _____

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS VARIEGATUS TAG NO. 207

CONTAINER NO. B41 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 63

DATE APR 15 1961 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 208

CONTAINER NO. B41 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE APR 15 1961 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 209

CONTAINER NO. B41 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE APR 15 1961 SPEEDOMETER

LOCALITY 11 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 210

CONTAINER NO. – SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE MAY 13 1961 SPEEDOMETER

LOCALITY 4 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT sand dune

CHASE FEET

REMARKS: DOR

SPECIES UMA SCOPARIA VARIEGATUS TAG. NO. 211

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE MAY 13 1961 SPEEDOMETER 685

LOCALITY 1 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 27.2 °C

AIR TEMP(30 in) 20.5 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 22.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT ~~[illegible]~~ SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES [illegible] VARIEGATUS TAG. NO. 212

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gr) _____ SNOUT-VENT LENGTH(mm) 77

DATE MAY 13 1961 SPEEDOMETER 685

LOCALITY 1 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 27.2 °C

AIR TEMP(30 in) 20.5 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 24.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT ~~CREOSOTE BUSH SCRUB~~ SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG. NO. 213

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE _____ SPEEDOMETER 687

LOCALITY 3 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 2010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 27.2 °C

AIR TEMP(30 in) 20.5 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 24.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT ~~CREOSOTE BUSH SCRUB~~ SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 214

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE MAY 13 1961 SPEEDOMETER 689

LOCALITY 5 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 27.2 °C

AIR TEMP(30 in) 20.5 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 23.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 215

CONTAINER NO. B24 SEX ♀ AGE ad TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE MAY 13 1961 SPEEDOMETER 690

LOCALITY 6 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION ~~SW~~ 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0- ROAD TEMP. 27.2 °C

AIR TEMP(30 in) 20.5 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 26.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

Left oviduct	Right oviduct
19.0 X 9.3 mm.	21.9 X 9.5 mm.

SPECIES COLEONYX VARIEGATUS TAG NO. 216

CONTAINER NO. B18 SEX ♂ AGE ad TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE MAY 13 1961 SPEEDOMETER 691

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 27.2 °C

AIR TEMP(30 in) 20.5 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 22.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 217

CONTAINER NO. B18 SEX ♂ AGE ad TOE CLIP# 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE MAY 13 1961 SPEEDOMETER 702

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 25.0 °C

AIR TEMP(30 in) 21.2 °C AIR TEMP(1 cm) 22.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 24.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 218

CONTAINER NO. B57 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 13 1961 SPEEDOMETER 709

LOCALITY 2 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2155 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 25.0 °C

AIR TEMP(30 in) 21.2 °C AIR TEMP(1 cm) 22.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 20.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES CROTALUS VARIEGATUS TAG NO. 219

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE JUN 7 1981 SPEEDOMETER 2991

LOCALITY 5 mi. W. of GLAMIS.

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2100 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION ~~3~~ S-W ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: FOUND DEAD ON PAVEMENT. DISSECTED.

Left testis (4) (8) (13) Right testis

9.2 X 4.7 mm. 9.5 X 4.7 mm.

SPECIES COLEONYX VARIEGATUS TAG NO. 220

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE JUN 7 1961 SPEEDOMETER 2997

LOCALITY 11 MI. W. OF ELAMIS.

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2135 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION S-W ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: FOUND DEAD ON PAVEMENT.

Left testis 4 8 13 Right testis

8.4 x 3.3 mm. 8.7 x 3.3 mm.

SPECIES COLEONYX VARIEGATUS TAG NO. 221

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 61

DATE JUN 4 1961 SPEEDOMETER 2213

LOCALITY 72 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 1940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 222

CONTAINER NO. B19 SEX ♀ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 53

DATE JUN 4 1981 SPEEDOMETER 2224

LOCALITY 61 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 2010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) ~400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES Coleonyx variegatus TAG NO. 223

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE June 4, 1961 SPEEDOMETER 2232

LOCALITY 53 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 2045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) ~400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 224

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE JUN 4 [illegible] SPEEDOMETER 2236

LOCALITY 49 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 2050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) ~400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 225

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE JUN 4 [illegible] SPEEDOMETER 2239

LOCALITY 46 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 2110 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) ~400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 226

CONTAINER NO. B37 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 53

DATE JUN 4 1961 SPEEDOMETER 2240

LOCALITY 45 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 2111 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 227

CONTAINER NO. B37 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 55

DATE JUN 4 1961 SPEEDOMETER 2240

LOCALITY 45 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 2115 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 228

CONTAINER NO. B37 SEX ♀ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE JUN 4 [illegible] SPEEDOMETER 2244

LOCALITY 41 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 2/25 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) ~400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 229

CONTAINER NO. B56 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE JUN 5 1961 SPEEDOMETER 2534

LOCALITY 20 mi. N. of Lukeville

COUNTY Pima ~~CALIFORNIA~~ Arizona

STANDARD TIME 2130 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 230

CONTAINER NO. B56 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE JUN 5 1961 SPEEDOMETER 2538

LOCALITY 13 mi. S. of Ajo

COUNTY Pima ~~CALIFORNIA~~ Arizona

STANDARD TIME 2140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 231

CONTAINER NO. B32 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUN 7 1961 SPEEDOMETER 2982

LOCALITY 4 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1955 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION S.W. ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0° °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.2° °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: ON PAVEMENT

SPECIES COLEONYX VARIEGATUS TAG NO. 232

CONTAINER NO. B32 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUN 7 1961 SPEEDOMETER 2983

LOCALITY 4 mi W. of GLAMIS

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2000 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION S-W ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: On pavement.

SPECIES [illegible] TAG NO. ~~251~~ 233

CONTAINER NO. B27 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUN 7 1961 SPEEDOMETER 3005

LOCALITY 9 mi. W. of GLAMIS

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2215 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 27.8 °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 26.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: ON PAVEMENT.

SPECIES COLEONYX VARIEGATUS TAG NO. 234

CONTAINER NO. B45 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE JUN 7 1981 SPEEDOMETER 2984

LOCALITY 3 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 235

CONTAINER NO. B29 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE JUN 7 1961 SPEEDOMETER 2985

LOCALITY 2 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2013 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 236

CONTAINER NO. B45 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE JUN 7 1961 SPEEDOMETER 2986

LOCALITY 1 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2015 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 237

CONTAINER NO. ~~B36~~ B32 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE JUN 7 1981 SPEEDOMETER 2987

LOCALITY 1 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2020 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLLONYX VARIEGATUS TAG NO. 238

CONTAINER NO. B41 SEX ♂ AGE AD. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88 68

DATE JUN 7 1961 SPEEDOMETER 2988

LOCALITY 2 mi. W. of GLAMIS.

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2028 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 29.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLLONYX VARIEGATUS TAG NO. 239

CONTAINER NO. 641 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE JUN 7 1961 SPEEDOMETER 2988

LOCALITY 2 mi W. of GLAMIS.

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2033 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: ON PAVEMENT.

Left oviduct	Right oviduct
18.9 x 7.8 mm.	19.3 x 7.4 mm.

SPECIES _____ TAG NO. 240

CONTAINER NO. B42 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE _____ SPEEDOMETER 2988

LOCALITY 2 Mi. W. of GLAMIS

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2034 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: ON PAVEMENT

SPECIES Coleonyx variegatus TAG NO. 241

CONTAINER NO. B42 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE JUN 7 1961 SPEEDOMETER 2988

LOCALITY 2 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement.

Left oviduct	Right oviduct
18.1 X 8.3 mm.	17.4 X 8.2 mm.

SPECIES COLEONYX VARIEGATUS TAG NO. 242

CONTAINER NO. B29 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUN 7 1961 SPEEDOMETER 2989

LOCALITY 3 mi W. of GLAMIS

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2041 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION S-W ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 4 FEET

REMARKS: ON PAVEMENT

Left oviduct	Right oviduct
15.8 X 8.0 mm.	16.4 X 7.8 mm.

SPECIES COLEONYX VARIEGATUS TAG NO. 243

CONTAINER NO. B50 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE JUN 7 1981 SPEEDOMETER 2990

LOCALITY 4 Mi. W. of GLAMIS

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2052 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: ON PAVEMENT

SPECIES COLEONYX VARIEGATUS TAG NO. 244

CONTAINER NO. B50 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 63

DATE JUN 7 1961 SPEEDOMETER 2990

LOCALITY 4 mi. W. OF GLAMIS

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2055 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 6 FEET

REMARKS: ON PAVEMENT

SPECIES COLEONYX VARIEGATUS TAG NO. 245

CONTAINER NO. B51 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE SPEEDOMETER 2991

LOCALITY 5 mi. W. of GLAMIS.

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2103 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 29.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: ON PAVEMENT

Left oviduct	Right oviduct
17.0 X 9.5 mm.	15.9 X 8.5 mm.

SPECIES COLEONYX VARIEGATUS TAG NO. 246

CONTAINER NO B46 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE JUN 7 1981 SPEEDOMETER 2997

LOCALITY 11 mi. W. of GLAMIS.

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 28.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: ON PAVEMENT.

SPECIES COLEONYX VARIEGATUS TAG NO. 247

CONTAINER NO. B27 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE JUN 7 1981 SPEEDOMETER 2998

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 248

CONTAINER NO. B46 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE JUN 7 1961 SPEEDOMETER 3001

LOCALITY 13 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2153 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 249

CONTAINER NO. B27 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUN 7 1951 SPEEDOMETER 3004

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2204 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.5 °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES ~~CROTAPHYTUS COLLARIS~~ COLEONYX VARIEGATUS TAG NO. 250

CONTAINER NO. B27 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE JUN 7 1981 SPEEDOMETER 3005

LOCALITY 9 mi. W. of Ocotillo

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S-W ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 27.8 °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 26.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 27.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: ON PAVEMENT

SPECIES Coleonyx variegatus TAG NO. 251

CONTAINER NO. B32 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE June 7, 1961 SPEEDOMETER

LOCALITY 3 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 2005 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement

~~Left Testis~~ ~~Right Testis~~

SPECIES Coleonyx variegatus TAG NO. 252

CONTAINER NO. B50 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE June 7, 1961 SPEEDOMETER

LOCALITY 5 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG. NO. 253

CONTAINER NO. B63 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE JUN 23 1961 SPEEDOMETER _____

LOCALITY 6 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE _____ FEET

REMARKS: _____

SPECIES COLEONYX VARIEGATUS TAG NO. 254

CONTAINER NO. B 63 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUN 23 1961 SPEEDOMETER

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0050 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. 29.5 °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE FEET

REMARKS:

SPECIES COLEONYX VARIEGATUS TAG NO. 255

CONTAINER NO. B56 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUL 10 1961 SPEEDOMETER 4029

LOCALITY 6 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2105 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. 37.8 °C

AIR TEMP(30 in) 36.4 °C AIR TEMP(1 cm) 37.4 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 256

CONTAINER NO. B56 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE JUL 10 1961 SPEEDOMETER 4046

LOCALITY 5 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. 37.0 °C

AIR TEMP(30 in) 33.6 °C AIR TEMP(1 cm) 34.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 257

CONTAINER NO. B62 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUL 10 1961 SPEEDOMETER 4053

LOCALITY 3 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. 37.0 °C

AIR TEMP(30 in) 33.6 °C AIR TEMP(1 cm) 34.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 258

CONTAINER NO. B80 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE July 21, 1961 SPEEDOMETER 4679

LOCALITY 2 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2055 CLOUDS(% overcast) 0

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 32.8 °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 259

CONTAINER NO. B80 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE JUL 21 1961 SPEEDOMETER 4697

LOCALITY 6 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2150 CLOUDS(% overcast) 0

MOON 1/4 RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.8 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 31.0 °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 260

CONTAINER NO. B56 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUL 21 1961 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2315 CLOUDS(% overcast) 0

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG. NO. 261

CONTAINER NO. B80 SEX ♂ AGE ad TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE Aug. 11, 1961 SPEEDOMETER 5212

LOCALITY 5 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 2050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 37.0 °C

AIR TEMP(30 in) 34.2 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 37.0 °C

HABITAT Sand dune

CHASE 0 FEET

REMARKS: on pavement — may have cooled off to air temp (36°) while thermometer was being inserted.

SPECIES COLEONYX VARIEGATUS TAG. NO. 262

CONTAINER NO. 880 SEX ♂ AGE ad TOE CLIP # 1

WEIGHT(g s) _____ SNOUT-VENT LENGTH(mm) 69

DATE AUG 11 1961 SPEEDOMETER 5212

LOCALITY 5 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 2100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 37.0 °C

AIR TEMP(30 in) 34.2 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 263

CONTAINER NO. B80 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE AUG 11 1961 SPEEDOMETER 5242

LOCALITY 6 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2230 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 380

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 35.0 °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 35.0 °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement

Left oviduct	Right oviduct
19.2 X 9.4 mm.	18.4 X 9.1 mm.
(1 C.L.)	(1 C.L.)

SPECIES COLEONYX VARIEGATUS TAG NO. 264

CONTAINER NO. 880 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE AUG 11 1961 SPEEDOMETER 5251

LOCALITY 13 mi. W, of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 35.8 °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 265

CONTAINER NO. B80 SEX ♀ AGE ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE AUG 11 1981 SPEEDOMETER 5261

LOCALITY 5 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2340 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 380

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 33.0 °C

AIR TEMP(30 in) 31.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 31.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 266

CONTAINER NO. B 62 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE Aug. 20, 1961 SPEEDOMETER 6064

LOCALITY 4 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 1945 CLOUDS(% overcast) 0

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 37.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 40.0 °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 267

CONTAINER NO. 878 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 57

DATE Sept. 11, 1961 SPEEDOMETER 7027

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1945 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 36.0 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 268

CONTAINER NO. B78 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE SEP 11 1961 SPEEDOMETER 7034

LOCALITY 14 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 35.0 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 269

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE Sept. 12, 1961 SPEEDOMETER 7104

LOCALITY 1 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 1930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 28.5 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 28.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 26.0 °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement — in puddle left by thunderstorm about an hour earlier.

SPECIES COLEONYX VARIEGATUS TAG NO. 270

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE SEP 12 1961 SPEEDOMETER 7105

LOCALITY 1/2 mi. N. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2025 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 28.0 °C AIR TEMP(1 cm) 28.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 25.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 26.0 °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on dirt road — chasing a beetle. Road bed wet from rain(0.25") a couple of hours before.

SPECIES COLEONYX VARIEGATUS TAG NO. 271

CONTAINER NO. P60 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE SEP 12 1961 SPEEDOMETER

LOCALITY 1/2 mi. N. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 28.0 °C AIR TEMP(1 cm) 28.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 25.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 26.0 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on wet dirt road

SPECIES COLEONYX VARIEGATUS TAG NO. 272

CONTAINER NO. B58 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE SEP 12 1969 SPEEDOMETER 7105

LOCALITY 1/2 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 28.0 °C AIR TEMP(1 cm) 28.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 26.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 26.0 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on wet dirt road

SPECIES COLEONYX VARIEGATUS TAG NO. 273

CONTAINER NO. B58 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE SEP 12 1961 SPEEDOMETER 7108

LOCALITY 3 mi. N. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 29.4 °C AIR TEMP(1 cm) 29.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 27.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 27.8 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on wet dirt road

SPECIES COLEONYX VARIEGATUS TAG NO. 274

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE SEP 12 1961 SPEEDOMETER 7119

LOCALITY 1 mi. N. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 25.5 °C AIR TEMP(1 cm) 25.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 25.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 25.0 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on wet dirt road

SPECIES COLEONYX VARIEGATUS TAG NO. 275

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE SEP 12 1961 SPEEDOMETER 7124

LOCALITY 4 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2235 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 25.5 °C AIR TEMP(1 cm) 26.5 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 27.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 27.0 °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 276

CONTAINER NO. B74 SEX ♂ AGE ad ? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE OCT 6 1961 SPEEDOMETER 7286

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 32.4 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 277

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE APR 13 1962 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR

SPECIES COLEONYX VARIEGATUS TAG NO. 278

CONTAINER NO. B18 SEX F ♀ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE APR 13 1962 SPEEDOMETER 1473.1

LOCALITY 5 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1930 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 29.5 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 6 FEET

REMARKS: on pavement

LEFT OVIDUCT	RIGHT OVIDUCT
18.0 x 7.8	19.9 x 7.8

SPECIES COLEONYX VARIEGATUS TAG NO. 279

CONTAINER NO. B 18 SEX M♂ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE APR 13 1962 SPEEDOMETER 1478.0

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2000 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 32.0 °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 28.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 280

CONTAINER NO. B 61 SEX ♂ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE APR 13 1962 SPEEDOMETER 1478.0

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2000 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

SOIL TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 25.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 281

CONTAINER NO. 661 SEX F? AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE APR 13 1962 SPEEDOMETER 14784

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2005 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 26.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 282

CONTAINER NO. 078 SEX M♂ AGE Ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 61

DATE APR 13 1962 SPEEDOMETER 1478.7

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2011 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

SOIL TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 29.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 283

CONTAINER NO. 060 SEX M♂ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE APR 13 1962 SPEEDOMETER 1479.7

LOCALITY 11 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2022 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 24.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 284

CONTAINER NO. 060 SEX M♂ AGE Ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE APR 13 1962 SPEEDOMETER 1484.4

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2050 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION ° ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ° ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 26.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 285

CONTAINER NO. B60 SEX F♀ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE APR 13 1962 SPEEDOMETER 1486.4

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2100 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 27.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 286

CONTAINER NO. B60 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE APR 13 1981 SPEEDOMETER _____

LOCALITY 4 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1855 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT sand dune

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 287

CONTAINER NO. B 76 SEX M♂ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE APR 13 1962 SPEEDOMETER 1487.3

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2110 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 25.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 288

CONTAINER NO. B76 SEX M♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE APR 13 1962 SPEEDOMETER 1487.7

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2113 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 25.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLONYX VARIEGATUS TAG NO. 289

CONTAINER NO. B79 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE APR 13 1962 SPEEDOMETER

LOCALITY 1 mi. w. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2130 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 290

CONTAINER NO. B23 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE APR 13 1962 SPEEDOMETER

LOCALITY 2 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2225 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 25.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE ~~20~~ FEET

REMARKS: caught by field zool. class

LEFT OVIDUCT	RIGHT OVIDUCT
14.1 x 8.0	13.5 x 6.8

NO. SHELL.

SPECIES COLEONYX VARIEGATUS TAG NO. 291

CONTAINER NO. B23 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE APR 12 1982 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2330 CLOUDS(% overcast) 20

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 21.9 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 292

CONTAINER NO. B59 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE MAY 5 1962 SPEEDOMETER _____

LOCALITY 10 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON 0 RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1500

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: on pavement

caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 293

CONTAINER NO. B56 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE May 12, 1962 SPEEDOMETER

LOCALITY 4 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 1940 CLOUDS(% overcast) 0

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. °C

AIR TEMP(30 in) 17.0 °C AIR TEMP(1 cm) 19.4 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 19.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 20.0 °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement — sand blowing quite hard across the road.

SPECIES COLEONYX VARIEGATUS TAG NO. 294

CONTAINER NO. B56 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE JUN 12 1962 SPEEDOMETER 2933

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1955 CLOUDS(% overcast) 80

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

LEFT OVIDUCT	RIGHT OVIDUCT
17.4 mm x 7.0 mm.	18.0 x 8.3 mm.
1 corpus luteum	1 corpus luteum

SPECIES COLEONYX VARIEGATUS TAG NO. 295

CONTAINER NO. B56 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE JUN 12 1962 SPEEDOMETER 2935

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2010 CLOUDS(% overcast) 80

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 320

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 29.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 296

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE JUN 12 1962 SPEEDOMETER 2939

LOCALITY 6 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2040 CLOUDS(% overcast) 80

MOON 1/4 RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Sand dune

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 297

CONTAINER NO. B19 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE JUN 26 1962 SPEEDOMETER

LOCALITY Lovejoy Buttes

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 2000 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 28.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 28.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 30.0 °C

HABITAT JOSHUA TREE WOODLAND

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 298

CONTAINER NO. B35 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUL 19 1982 SPEEDOMETER

LOCALITY 4 mi. W. of Glamis

COUNTY ~~RIVERSIDE~~ IMPERIAL CALIFORNIA

STANDARD TIME 1930 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 10 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 299

CONTAINER NO. B52 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE JUL 19 1962 SPEEDOMETER 3617

LOCALITY 10 mi. W. of Glamis

COUNTY ~~RIVERSIDE~~ IMPERIAL CALIFORNIA

STANDARD TIME 2015 CLOUDS(% overcast) 0

MOON ○ RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

SOIL TEMP(30 in) °C AIR TEMP(1 cm) 35.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 37.4 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 300

CONTAINER NO. B52 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE JUL 20 1962 SPEEDOMETER

LOCALITY 2 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2135 CLOUDS(% overcast) 10

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

LEFT OVIDUCT	RIGHT OVIDUCT.
1. 15.1 x 7.7 mm	1. 16.1 x 8.6 mm.
1 C.L.	1 C.L.

SPECIES COLEONYX VARIEGATUS TAG NO. 301

CONTAINER NO. B76 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE JUL 20 1962 SPEEDOMETER

LOCALITY 13 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2030 CLOUDS(% overcast) 50

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 37.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 39.8 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 302

CONTAINER NO. B76 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE JUL 20 1962 SPEEDOMETER

LOCALITY 11 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2047 CLOUDS(% overcast) 50

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 303

CONTAINER NO. B76 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUL 20 1982 SPEEDOMETER

LOCALITY 5 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2115 CLOUDS(% overcast) 10

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: at edge of pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 304

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE AUG 4 1962 SPEEDOMETER

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR (in formalin)

SPECIES _____ TAG NO. 305

CONTAINER NO. B57 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE Aug. 3, 1962 SPEEDOMETER _____

LOCALITY 1 mi. W. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 2055 CLOUDS(% overcast) 0

MOON ○ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 306

CONTAINER NO B24 SEX ♂ AGE Ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE AUG 4 1962 SPEEDOMETER

LOCALITY 11 mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2000 CLOUDS(% overcast) 0

MOON 1/5 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ? °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 37.4 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 307

CONTAINER NO. B24 SEX ♂ AGE Ad TOE CLIP#

WEIGHT(gms) ~~200~~ SNOUT-VENT LENGTH(mm) 64

DATE ~~2010~~ AUG 4 1962 SPEEDOMETER

LOCALITY 13 Mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2010 CLOUDS(% overcast) 0

MOON 1/8 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 308

CONTAINER NO. B24 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE ~~2036~~ AUG 4 1962 SPEEDOMETER

LOCALITY 11 Mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2030 CLOUDS(% overcast) 0

MOON 1/8 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: ~~on pavement~~

SPECIES CROTAPHYTUS WISLIZENI TAG NO. 309

CONTAINER NO. B24 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE ~~2045~~ AUG 4 1962 SPEEDOMETER _____

LOCALITY 6 Mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2045 CLOUDS(% overcast) 0

MOON 1/8 RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 30.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 310

CONTAINER NO. 377 SEX ♂ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE AUG 4 1962 SPEEDOMETER

LOCALITY 5 Mi. Gr. Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2056 CLOUDS(% overcast) 0

MOON 1/8 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 311

CONTAINER NO B77 SEX ♂ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE AUG 4 1962 SPEEDOMETER

LOCALITY 1 Mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2115 CLOUDS(% overcast) 0

MOON 1/8 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 29.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 312

CONTAINER NO. B77 SEX ♀ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE AUG 4 1962 SPEEDOMETER _____

LOCALITY 5 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2240 CLOUDS(% overcast) 0

MOON 1/8 RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 29.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 313

CONTAINER NO. B17 SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE AUG 10 1962 SPEEDOMETER _____

LOCALITY 13 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2010 CLOUDS(% overcast) 0

MOON 1st 1/4 RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 314

CONTAINER NO. 860 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE AUG 11 1962 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2300 CLOUDS(% overcast) 0

MOON 1st 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 315

CONTAINER NO. B58 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE SEP 15 1962 SPEEDOMETER

LOCALITY 5 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1913 CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%)

WIND DIRECTION — ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 316

CONTAINER NO. B58 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE SEP 15 1962 SPEEDOMETER

LOCALITY 13 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1945 CLOUDS(% overcast) 0

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 317

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE SEP 15 1962 SPEEDOMETER _____

LOCALITY 6 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2055 CLOUDS(% overcast) 0

MOON Full RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 318

CONTAINER NO. B-53 SEX M AGE Ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 61

DATE APR 7 1963 SPEEDOMETER

LOCALITY 9 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1950 CLOUDS(% overcast) 20

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. 24.6 °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 24.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 24.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE NONE FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 319

CONTAINER NO. B-53 SEX F AGE ~~Jm~~ Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE APR 7 1963 SPEEDOMETER

LOCALITY 9 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2000 CLOUDS(% overcast) 20

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. 24.6 °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 24.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 24.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on Pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 320

CONTAINER NO. B-53 SEX M AGE Im TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 43

DATE APR 7 1963 SPEEDOMETER

LOCALITY 10 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2005 CLOUDS(% overcast) 20

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NN ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. 24.6 °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 24.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 23.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 321

CONTAINER NO. B-53 SEX F AGE Ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 58

DATE APR 7 1963 SPEEDOMETER

LOCALITY 12 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2015 CLOUDS(% overcast) 20

MOON Full RELATIVE HUMIDITY(%) [redacted]

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. 24.6 °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 24.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 24.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 322

CONTAINER NO. B-53 SEX M AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 63

DATE APR 7 1963 SPEEDOMETER

LOCALITY 12 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2020 CLOUDS(% overcast) 20

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION N.W. ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. 24.6 °C

AIR TEMP(30 in) 23.5 °C AIR TEMP(1 cm) 24.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 323

CONTAINER NO. B-70 SEX M AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE APR 7 1963 SPEEDOMETER

LOCALITY 8 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2040 CLOUDS(% overcast) 20

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NN ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. 25.0 °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) 24.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 23.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 324

CONTAINER NO. B-60 SEX M AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE APR 8 1963 SPEEDOMETER

LOCALITY 10 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1845 CLOUDS(% overcast) 50

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3 ROAD TEMP. 25.0 °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 25.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLLOPTYX VARIEGATUS TAG NO. 325

CONTAINER NO. B-60 B-18 SEX F AGE Ad TOE CLIP#

CONWEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE APR 0 1983 SPEEDOMETER

LOCALITY 10 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1850 CLOUDS(% overcast) 50

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3 ROAD TEMP. 25.0 °C

WATER TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

It was upside down on the road. I thought it was dead. It apparently had been hit by a car, but was only stunned. It survived to reach the laboratory, 2 days later, in good shape.

SPECIES COLEONYX VARIEGATUS TAG NO. 326

CONTAINER NO. B-60 SEX M AGE Ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 58

DATE APR 8 1963 SPEEDOMETER

LOCALITY 12 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1905 CLOUDS(% overcast) 80

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8 ROAD TEMP. 25.0 °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 24.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 327

CONTAINER NO. B-60 SEX F AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE APR 8 1963 SPEEDOMETER

LOCALITY 13 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1910 CLOUDS(% overcast) 80

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8 ROAD TEMP. 25.0 °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 24.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 328

CONTAINER NO. B-60 SEX F AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE APR 8 1963 SPEEDOMETER

LOCALITY 13 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1915 CLOUDS(% overcast) 80

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8 ROAD TEMP. 25.0 °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 21.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 329

CONTAINER NO. B-25 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 61

DATE APR 0 1983 SPEEDOMETER

LOCALITY 8 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1940 CLOUDS(% overcast) 95

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8 ROAD TEMP. 24.2 °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 23.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 24.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 330

CONTAINER NO. B-25 SEX M AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE APR 8 1963 SPEEDOMETER

LOCALITY 0 miles from Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2005 CLOUDS(% overcast) 95

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 24.0 °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 23.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 21.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 331

CONTAINER NO. B-25 SEX M AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE APR 8 1963 SPEEDOMETER _____

LOCALITY 3 miles W. from Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2020 CLOUDS(% overcast) 99

MOON Full RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5 ROAD TEMP. 24.0 °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 23.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 21.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 332

CONTAINER NO. B25 SEX F AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE APR 8 1963 SPEEDOMETER

LOCALITY 4 Miles W. from Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2035 CLOUDS(% overcast) 100

MOON Full RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 19.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 333

CONTAINER NO. B51 SEX ♀ AGE ad TOE CLIP#

GHT(gms)-------- SNOUT-VENT LENGTH(mm) 77

DATE APR 28 1963 SPEEDOMETER

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR

Left ovary- 6 eggs, 1 big, max. diam.- 8.5 mm

Right " - 6 " , 1 " , " " - 8.0 "

SPECIES COLEONYX VARIEGATUS TAG NO. 334

CONTAINER NO. B74 SEX ♂ AGE ad TOE CLIP# 67 (dead)

WEIGHT(gms) 4.1 SNOUT-VENT LENGTH(mm) 65 (live)

DATE APR 28 1963 SPEEDOMETER

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2100 CLOUDS(% overcast) 0

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 24.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: hit by car

SPECIES COLEONYX VARIEGATUS TAG NO. 335

CONTAINER NO. B74 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE APR 28 1963 SPEEDOMETER

LOCALITY 13 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2100 CLOUDS(% overcast) 0

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C. AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP [redacted] °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: hit by car

SPECIES COLEONYX VARIEGATUS TAG NO. 336

CONTAINER NO. B74 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 62

DATE APR 28 1963 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2145 CLOUDS(% overcast) 0

MOON 1/4 RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: hit by car

SPECIES COLEONYX VARIEGATUS TAG NO. 337

CONTAINER NO. B79 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE MAY 25 1963 SPEEDOMETER

LOCALITY 12 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2005 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 29.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement, look like hit by car

L. Testis 6.5 mm x 3.0 mm.

R. Testis 7.5 x 4.0

SPECIES COLEONYX VARIEGATUS TAG NO. 338

CONTAINER NO. B20 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE MAY 24 1963 SPEEDOMETER _____

LOCALITY 6 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2115 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 22.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 339

CONTAINER NO. B70 SEX ♀ AGE imm TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE MAY 24 1963 SPEEDOMETER _____

LOCALITY 10 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1935 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 26.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 340

CONTAINER NO. B80 SEX ♂ AGE ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE MAY 24 1963 SPEEDOMETER _____

LOCALITY 10 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1940 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 26.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: within 5 ft of another on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 341

CONTAINER NO. B80 SEX ♀ AGE ad TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE MAY 24 1963 SPEEDOMETER _____

LOCALITY 10 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1940 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 26.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: within 5 ft. of another animal on pavement

Left oviduct	Right oviduct
18.3 X 9.1 mm.	20.0 X 9.1 mm.
1 corpus luteum	1 corpus luteum

SPECIES COLEONYX VARIEGATUS TAG NO. 342

CONTAINER NO. B80 SEX ♀ AGE ad TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE MAY 24 1981 SPEEDOMETER _____

LOCALITY 2 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2100 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 24.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

Left oviduct	Right oviduct
16.6 X 8.5 mm.	16.3 X 9.1 mm.
1 corpus luteum	1 corpus luteum

SPECIES COLEONYX VARIEGATUS TAG NO. 343

CONTAINER NO. B 80 SEX ♂ AGE ad TOE CLIP# 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE MAY 24 1963 SPEEDOMETER _____

LOCALITY 5 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2110 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 24.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 344

CONTAINER NO. B78 SEX ♀ AGE ad ? TOE CLIP# 7

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 56

DATE MAY 24 1983 SPEEDOMETER _____

LOCALITY 7 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2015 CLOUDS(% overcast) 0

MOON sliver RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 380

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 27.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 345

CONTAINER NO. B78 SEX ♂ AGE ad TOE CLIP# 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE MAY 24 1989 SPEEDOMETER _____

LOCALITY 5 mi W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2030 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 24.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 346

CONTAINER NO. B78 SEX ♀ AGE ad TOE CLIP# 9

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE MAY 24 1963 SPEEDOMETER _____

LOCALITY Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2050 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 24.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

Left oviduct	Right oviduct
18.8 X 9.1 mm.	18.4 X 8.9 mm.
1 corpus luteum	1 corpus luteum

SPECIES COLEONYX VARIEGATUS TAG NO. 347

CONTAINER NO. B55 SEX ♂ AGE ad.? TOE CLIP# 10

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 57

DATE MAY 24 1963 SPEEDOMETER _____

LOCALITY 10 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2130 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 24.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 348

CONTAINER NO. B55 SEX ♂ AGE ad TOE CLIP# 11

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE MAY 24 1963 SPEEDOMETER _____

LOCALITY 4 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2230 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 23.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 349

CONTAINER NO. B55 SEX ♀ AGE ad TOE CLIP# 12

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE MAY 24 1963 SPEEDOMETER _____

LOCALITY 1 mi. W of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2245 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 25.6 °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) 22.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 22.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT SAND DUNE

CHASE 10 FEET

REMARKS: on pavement

SPECIES COLEONYX VARIEGATUS TAG NO. 350

NTAINER NO. B18 SEX ♂ AGE ad? TOE CLIP#

IGHT(gms) SNOUT-VENT LENGTH(mm) 54

DATE JUN 8 1963 SPEEDOMETER

LOCALITY 23 mi NE. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2020 CLOUDS(% overcast) 5

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 27.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: on pavement

SPECIES Coleonyx variegatus TAG NO. 351

CONTAINER NO. B58 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE AUG 21 1963 SPEEDOMETER

LOCALITY 3 mi W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2115 CLOUDS(% overcast) 0

MOON 0 RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT SAND DUNE

CHASE 0 FEET

REMARKS:

SPECIES COLEONYX VARIEGATUS TAG NO. 352

CONTAINER NO. B 74 SEX M AGE ADULT TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE APR 1 0 1964 SPEEDOMETER

LOCALITY 11 miles west of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1930 CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 25.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: on road

SPECIES COLEONYX VARIEGATUS TAG NO. 353

CONTAINER NO. B72 SEX m AGE ADULT TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE APR 10 1964 SPEEDOMETER

LOCALITY 6 miles east of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2205 CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 20.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on road

SPECIES COLEONYX VARIEGATUS TAG NO. 354

CONTAINER NO B72 SEX M AGE ADULT TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE APR 1 0 1964 SPEEDOMETER

LOCALITY 7 miles east of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2215 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 23.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on road

SPECIES COLEONYX VARIEGATUS TAG NO. 355

CONTAINER NO. B55 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE APR 11 1964 SPEEDOMETER

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2045 CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 22.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on road

SPECIES COLEONYX VARIEGATUS TAG NO. 356

CONTAINER NO. B30 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE APR 11 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 357

CONTAINER NO. B30 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE APR 11 1964 SPEEDOMETER _____

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 358

CONTAINER NO. B30 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE APR 11 1964 SPEEDOMETER _____

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 359

CONTAINER NO. B30 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE APR 11 1964 SPEEDOMETER _____

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 360

CONTAINER NO. B60 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE APR 11 1964 SPEEDOMETER _____

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 361

CONTAINER NO. B60 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE APR 11 1964 SPEEDOMETER _____

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 362

CONTAINER NO. B60 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE APR 11 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 363

CONTAINER NO. B60 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE APR 11 1964 SPEEDOMETER _____

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 364

CONTAINER NO. B10 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE APR 11 1964 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 365

CONTAINER NO. B10 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE APR 11 1984 SPEEDOMETER

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 366

CONTAINER NO. B17 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE APR 1 1 1964 SPEEDOMETER _____

LOCALITY W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON none RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES COLEONYX VARIEGATUS TAG NO. 367

CONTAINER NO. B63 SEX ♀ AGE ad TOE CLIP# 7

WEIGHT(gms) 5.5 SNOUT-VENT LENGTH(mm) 73

DATE JUN 3 1964 SPEEDOMETER

LOCALITY 14 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2055 CLOUDS(% overcast) 5

MOON o RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 28.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement - gravid

Left oviduct	Right oviduct
13.7 X 4.9 mm.	14.1 X 4.2 mm.
1 corpus luteum	1 corpus luteum

SPECIES Coleonyx variegatus TAG NO. 368

CONTAINER NO. _____ SEX ♂ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE 22 Aug 1967 SPEEDOMETER _____

LOCALITY Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: collected in spring - maintained in outdoor cage - animal looks thin

SPECIES Coleonyx variegatus TAG NO. 369

CONTAINER NO. _____ SEX ♂ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE 22 Aug 1967 SPEEDOMETER _____

LOCALITY Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: collected in spring - maintained in outdoor cage - animal looks thin

TAG NO. _____

SEX _____ AGE _____ TOE CLIP# _____

SNOUT-VENT LENGTH(mm) _____

SPEEDOMETER _____

CALIFORNIA _____

CLOUDS(% overcast) _____

RELATIVE HUMIDITY(%) _____

ALTITUDE(ft) _____

ROAD TEMP. _____ °C

°C AIR TEMP(1 cm) _____ °C

°C CLOACAL TEMP _____ °C

°C SUBSTRATE TEMP _____ °C

FEET _____


R-351
STEEL BACKPLATE
S. E. & M. VERNON, INC.
U. S. A.